TIMKEN



CONTINUOUS LUBRICATION. REDUCED MAINTENANCE.

INCREASE PRODUCTIVITY WITH TIMKEN® SOLID LUBE.

Get the optimal life from your Timken® roller bearings and reduce maintenance with Timken® Solid Lube.

Timken® Solid Lube can increase uptime and avoid damage caused by poor lubrication from standard grease or oil by continually providing lubricant exactly where it's needed. We offer this protection for Timken spherical roller bearings, cylindrical roller bearings, tapered roller bearings and other products.

TIMKEN SOLID LUBE FEATURES:

- Protected. Scientifically advanced lubricant helps guard against contaminants for safe and reliable operation – even in demanding conditions.
- Clean. Its unique makeup helps prevent lube from contaminating products or sensitive machinery, improving your housekeeping by helping avoid grease and oil drips.
- Versatile. With a wide range of lubrication solutions, we can match application requirements, including food-grade options.
- Cost-Effective. Timken Solid Lube helps reduce your operating costs and increase operational productivity.



GREATER EFFICIENCY WITH CUSTOM MIXES

Resistant to chemicals and abrasives, Timken Solid Lube is a resilient mixture of polymers, oils and other additives customized for specific applications. The lube fills the air space inside the bearing, safely coating the rollers, cage and raceways. This technique for packing the lubrication helps keep foreign objects out, while retaining oil in a microporous network. During rotation, the solid lube helps provide continuous lubrication to the rolling elements and raceways, lubricating the bearing surfaces through capillary action. As needed, reserves in the pores supply additional oil to the bearing.

POPULAR LUBRICATION SOLUTION FOR SPHERICAL ROLLER BEARINGS

Customers depend on Timken spherical roller bearings in tough applications because of their durability and reliability, running cooler and handling up to +/- 1.5 degrees of misalignment. Equipped with Timken Solid Lube, these bearings increase efficiency in applications that carry heavy loads at low speeds in industries such as:

- Metal processing.
- Mining and lumber.
- Off-highway.
- Agriculture.
- Food processing.
- Paper and packaging.



Example 1: **22234EJW33C3SLA**

Spherical Roller Bearing Part Number N

Modification Code for Solid Lube



CHOOSE SOLID LUBE FOR YOUR NEW TIMKEN SPHERICAL ROLLER BEARINGS

Additional sizes and solid lube modification codes are available.

For each part number listed below with modification code SLA, the maximum operating temperature with solid lube fill is 200° F (93° C). The base oil viscosity in centiStokes with modification code SLA solid lube fill ranges from 140 cSt at 104° F (40° C) to 14 cSt at 212° F (100° C).

| Bearing Part Number with Solid Lube Fill | Maximum Operating Speed with Solid Lube Fill, RPM | Bearing Part Number with Solid Lube Fill | Maximum Operating Speed with Solid Lube Fill, RPM | Bearing Part Number with Solid Lube Fill | Maximum Operating Speed with Solid Lube Fill, RPM |
|--|---|--|---|--|---|
| 22205EJW33C3SLA | 2210 | 22224EJW33C3SLA | 510 | 22326EJW33C3SLA | 410 |
| 22206EJW33C3SLA | 1850 | 22226EJW33C3SLA | 470 | 22328EJW33C3SLA | 390 |
| 22207EJW33C3SLA | 1590 | 22228EJW33C3SLA | 440 | 22330EJW33C3SLA | 360 |
| 22210EJW33C3SLA | 1210 | 22230EJW33C3SLA | 400 | 23224EMW33C3SLA | 510 |
| 22211EJW33C3SLA | 1100 | 22232EJW33C3SLA | 380 | 23226EJW33C3SLA | 470 |
| 22216EJW33C3SLA | 770 | 22234EJW33C3SLA | 350 | 23228EMW33C3SLA | 440 |
| 22217EJW33C3SLA | 720 | 22313EJW33C3SLA | 830 | 23230EMW33C3SLA | 400 |
| 22218EJW33C3SLA | 680 | 22315EJW33C3SLA | 720 | 23232EMW33C3SLA | 380 |
| 22220EJW33C3SLA | 610 | 22318EJW33C3SLA | 610 | 24134EJW33C3SLA | 380 |
| 22222EJW33C3SLA | 550 | 22324EJW33C3SLA | 450 | | |

^{*}Request Timken Solid Lube for Timken spherical roller bearings, cylindrical roller bearings, tapered roller bearings and other products.

Contact your Timken representative to learn more.

TIMKEN

The Timken team applies their know-how to improve the reliability and performance of machinery in diverse markets worldwide. The company designs, makes and markets bearings, gear drives, automated lubrication systems, belts, brakes, clutches, chain, couplings, linear motion products and related industrial motion rebuild and repair services.